CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 792 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

			SECRET				25X1
COUNTRY	Poland			REPORT			
SUBJECT	Psychiatry in	Poland		DATE DISTR.		ô November	1954
				NO. OF PAGES	9		
DATE OF INFO.				REQUIREMENT			25X
PLACE ACQUIRED	<u>.</u>			REFERENCES		0EV4	
			INEVALUATED			25 X 1	
	THE	THE APPRA	IATIONS IN THIS REPORT ISAL OF CONTENT IS TEN (FOR KEY SEE REVERSE)				•
			-				
	No. 1						
						25X1	
						25X1	
						25X1	
						25X1	
25 YEAR RE-REV	ΛΙΕW					25X1	
25 YEAR RE-REV	VIEW					25X1	
25 YEAR RE-RE\	VIEW					25X1	
25 YEAR RE-REV	VIEW		SECRET			25X1	

Approved For Release 2009/07/01: CIA-RDP82-00046R000400190010-6

Gars Washington distribution indicated by "X"; Field distribution by "#".)

	· ·		SECR	ır.m	REPOR		
			2ECT	.E. 1			05)/4
c	DUNTRY	Poland	. 4		DATE DISTR	30 Sept 1	25X1 o≲∵
						_	229 2
SU	IBJECT	Psychiatry i	In Poland		NO. OF PAC	SES 8	
DA	ATE OF INFO	RMATION			REFERENCES	3:	
PL	ACE ACQUIR	RED					25 X 1
		. т	HIS IS UNEVALUATI	D INFORMATION			
			<u> </u>		\$ 100 miles		T.
1.	schizopl 65% and in order intoxica cholia; psychos:	nrenia. The is the same of frequence ants, most corrective depts.	percentage of percentage as y are post-tre mmon of which ression states	al patients in the total rang 5 to 10 years aumatic psychos was benzene; i s; senile depre	ges from 60 ago. Other sis; psychol involutional ession; pos	% to r diagnos sis due t l melan- t-partum	e a
2.	the USSI illnesso Electron has been believed	es. It is ma shock is used n no improvem s there is a	the choice of ndatory that in only in catal ent with prior higher relapse	was issued therapy in the insulin shock to tonic states are insulin shock to rate with insurapy was in ra	reating men be used fire nd only after therapy.	tal st. er there	25X1 25X1
3.	the USSI was that only spe- cases of	R. The ban w t it was a mu oradically be	as complete and tilating operations the ban, in the ban, in the ban is a constant of long-state.	Poland in 1953 and the reason a ation. The ope all of which we anding duration	given for the eration was were perform	ne ban done ned on	25X1
4,,		no rumors		ver performed in performance in		of the	25X1

	SECRET	2
		2
	Out of 1,200 patients, there was an average of	
	the rate would be lower if there were sufficient nurse and aide personnel: at the present time the number is	2
	adequate. The psychiatric clinic had only 150 beds and the figure of 1,200 given above includes the whole hospital complex, of which the psychiatric unit was a part. there has been no marked increase in the suicide rate since 1947. Treatment of	2
	choice here is electroshock therapy, as the majority of the cases were depressives of some sort. Usually the results were very satisfactory.	2
	there are 100 to 120 psychiatrists in Poland. (Some of the psychiatrists are secretly Freudian.) And in Warsaw there is the Central Consulting Dispensary for Mental Health with a staff of medical specialists and sociologists; at has 20 dispensaries throughout Poland subordinate to it. Any doctor can recommend a patient's admittance to a psychiatric clinic, but the tendency is to reserve this function for psychiatrists.	2
L	ov's Theory	
	Application of Pavlov's theory to mental illnesses in general was a State directive. The theory is not sincerely accepted by the ordinary Polish psychiatrist, but the psychiatrists are unable openly to disagree with it. It is the only theory taught in psychiatric courses in Poland today.	*:
	74	2
	explains only symptoms, but does not explain the etiology or the reasons for the development of symptoms. the same symptoms in different mental illnesses are explained in the same way, yet treatment based on experience will differ with various mental illnesses. The theory explains the requirements for special treatment by adapting itself to modes of treatment which have long been established. The interpretation of Pavlov's theory was applied always only in general terms which left many specific questions unanswered.	
		2
	ferences one could get as many different interpretations of Pavlov's theory to a special illness as there were physicians present. The interpretation accepted was the one given by the physician with the most authority.	J
		2
	there were no textbooks to date which could be used in medical schools for teaching purposes to explain Pavlov's theory and its relation to mental illnesses. There was one book which was used for a time, written by a Russian named GOREWICZ. This book was banned both in Poland and the Soviet Union because it	2
	itsease. much work is being done in the USSR coday to produce textbooks to meet this need. Since the students	. 2
	Maye no textbooks, they learn only by lectures given by their pro-	
	essors, who deal in very general and non-specific terms. Pro- essors are forbidden to publish notes of these lectures and are ctually afraid to publish them, for they do not know whether their indings on the application of the theory coincide with the state	٠
	on this subject, especially among older psychiatrists, who have many loubts or reservations. but they never allow themselves to object	
	penly in any psychiatric conference or medical meeting. eels that the theory can be applied to dogs but finds it difficult transfer generally to human beings.	2

	SECRET	25X1
	- 3	207(1
9.		25 X 1
·-, e	The state of the s	
10.		25X1
	not feel that the application of Pavlov's theory will have a generally bad effect on the population as a whole.	
		25X1
		25X1
	a value are roughly being to really newshorthouses and mark	
	nesses who could be relieved and believed with mental ill-	
•	increase tremendously. particularly there was a very	
	marked increase in the number of cases of hypertension, especially	05.74
	in students between 20 and 25 years. There is a much larger group suffering such tensions than before the war and people in this category will suffer the war and	25 X 1
	people in this cetagory will area and	25 X 1
	people in this category will suffer tremendously because of the rigid application of Pavlov's theory.	
- 10 to may		
11.		
	in the Soviet Union for treatment of schizophrenia. It has not been used in Poland since 1053 because the poland since 1053 be	
	without satisfactory results	
	Torono Sautslactory results	25X1
	that therapy and that it can be applied only to one particular form of schizophrenia, but at the present time that	20711
	of schizophrenia, but at the present time that form is unknown. He	
	is as follows: It is composed of three drugs:	25X1
	in the evening. The patient must be in a quiet, dark room. Sleep should be light as a normal sleep and should be 18-20 hours long.	
	Treatment is continued for 10 to 14 days except that no treatment is given on Sunday On Sunday the next that no treatment	
•	interrupt the treatment and give him a rest. Temperature, pulse,	
	indications to its use are beart discontinued. Contra-	
		25 V 1
	to any of the drugs used.) ZJA 1
Resea	anah	
Heber	SL CII	
12.	Scientific research in Poland is not judged on its merits but only on whether it is in conformity with Borland in	
_	whether it is in conformity with Pavlov's theory.	_
	The state of the s	
\		25X1
1		Ţ
ſ	the following programs as being carried on in relation to psychiatry:	
	and the pay out the office of the same of	
	tests were being made on patients	25X1
	"Lett you yourdund the mental illneaded whose makes as an are	
	OI conditioned reflex and this narticular that	
	green and white - and a bell. In the patient's right hand was placed a rubber bulb connected to a rubber tube. This registered the amount of pressure the patient	
	" "" " " " " " " " " " " " " " " " " "	
		•
	TOWARD THOUGHT ANALO MANUELLINE WORLD DO DONOGRAM WASHING THE COLUMN TO THE COLUMN THE C	
	suddenly the physician would turn a white light on instead of a	

Approved For Release 2009/07/01 : CIA-RDP82-00046R000400190010-6

25X1

red light and ring a bell at the same time. At this stage the patient would ask what he was supposed to do and the physician would then question him on what he felt like doing.

25X1

25X1

- Another research program being conducted at the medical academy of Lodz under the direction of a Professor WILCZKOWSKI. This was also a conditioned reflex test, in which blood sugar levels were determined. The technique was as follows: A sample of blood was drawn and blood sugar level determined. The physician would show the subject some sugar and speak to the subject for 10 minutes about how good the sugar was, how sweet it would taste, and that he was going to let the subject eat it in 10 minutes. At the end of this 10 minutes another blood sample was drawn and sugar level determined. In all cases the level in the second sample was lower than in the first sample. One modification of this test was the following: sample of blood was drawn, then the subject was shown a pile of bricks in one corner of the room and told that in 10 minutes he must move the bricks into the opposite corner, that this would be a difficult task, and that they were very heavy. At the end of 10 minutes and before actually moving the bricks, another blood sugar level determination was made. This level has always been higher than the level of the first test. The object of this test is to show that there is a chemical reflex in the blood which can be changed by mere conversation, which proves that the blood sugar reflexes are reactions to a mentally conditioned reflex.
- c. In other research, in 1949 a Professor BILIKIEWICZ 25X1 of the medical academy in Danzig published a paper on the theory and etiology of mental diseases. BILIKIEWICZ said in essence that there were four layers in the psyche, a basic layer and three higher layers, and that it was in these three higher layers that mental illness developed. The author claimed that treatment of choice for mental illnesses was electroshock therapy followed by malaria therapy. This work was highly criticized, particularly by Irena HAUSMANOWA and by another individual named ZAKRZEWSKA. The author has resisted these criticisms and general opinion is that he will be removed from his post because he persists in propounding this theory.
- d. At the Psychoneurological Institute, Pruszkow, experimental work is being done on the surgical removal and treatment of brain tumor.

 the surgical results had been good. At this same institute the work was done which eventually developed into the criticism of the use of lobotomies. Some work is being done on cerebrospinal fluid in determining Ph curve in different disease states. One of the most difficult problems, and one in which considerable research is being done at the present time, is that of algholism. In 1953 Professor BATAWIA published a statistical book on the influence of alcohol on family relations which was based on his experience in treatment of alcholics.

 there has been a very marked increase in alcoholism in Poland since World War II.

25X1

25X1

There was a

25X1

tremendous increase of alcoholism in young people. A Professor KRASSOWSKI wrote a paper in which he described cases of children who began to drink between the ages of 10 and 14 years during the war.

25X1

He stated that the disease was different from that in older people in that the delirium tremens was not typical and the psychological degeneration was deeper in the younger group. Treatment in the out-patient department consisted of bromides, caffeine, vitamin Bl, and a very superficial form of psychotherapy. Treatment in the hospital was with insulin. In approximately 30 % of the cases no drinking for three months was the result of the treatment, in 60% of the cases drinking was lessened, in 10% of the cases the treatment produced no reasons for the marked relief at all. 25X1 increase in alcoholism the generally poor condition of life in Poland today. The state attempts some control on the sale of alcoholic beverages by not permitting them to be sold on pay days orholidays. Restaurants are forbidden to sell from 1100 to 1500 there is little or no drug addiction in hours. 25X1 Poland as far as he knows, and that which is present is found in medical assistants such as nurses, technicians, etc.

KONORSKI and SHERRINGTON

14. after KONORSKI published the book in England 25X1 in 1946 entitled Student of Pavlov against Pavlov he was severely critized and essentially cut off from present-day Polish psychiatry and was not able to practice his profession. 25X1 KONORSKI is not completely anti-Pavlovian but has deviated in some respects from Pavlov. One of the main critics of KONORSKI was Irena 25X1 Another criticism was reported from a psychiatric conference on Pavlovian theory held in 1949. the Academy of Science 25X1 in 1953 issued a criticism of KONORSKI in general terms. all criticisms were written or published in an attempt 25X1 to force KONORSKI to admit that he was wrong but KONORSKI has never made such 25X1 SHERRINGTON is very severely an admission. criticized in Poland.

Patient Rehabilitation

15. When a patient is discharged from a psychiatric clinic, a resume goes to the out-patient dispensary in the patient's home area. There are 20 such dispensaries in the country. From the dispensary a social psychiatric assistant (paragraph 18) visits the patient at home to see if the patient is working, to look at conditions, etc. The assistant tries to help the subject get work, solve his housing problems, and so forth. When the patient secures a job, the assistant keeps in touch with the place of employment. The local doctor may make recommendations as to the type of work the patient should try to obtain. If necessary, the patient is examined by the doctors at the dispensary from time to time, and if indicated, the patient is returned to the clinic.

25X1

	Approved 1 of Nelease 2009/07/01 . CIA-NDF02-00040N000400 1900 10-0	
_	SECRET - 8 -	25X1
(1)	KULIGOWSKI, Zygmunt. Director of the Psychoneurological Institute in Pruszkow.	25X1
(g)	OPALSKI, Adam. This man is Professor of Neurology at the Medical Academy of Warsaw and is also Chief of the Neurological Clinic of the Medical Academy.	25X1